






Specifications | Document ID: 1891306

Dimensions - Body

Description:

Point-to-Point Measurements are for reference only. All measurements are given in millimeters. Use these measurements for diagnosis and estimating. Point-to-Point measurements are duplicated with trim bar pointers set at equal lengths. All die marks, holes, slots and fasteners are measured to the center. All dimensions are symmetrical unless otherwise specified.

Under Hood Opening Dimensions



2013 chevy equinox ltz problems. 2013 chevy equinox issues. 2013 chevy equinox onstar module location. 2016 chevy equinox lt oil capacity.

Page 1 2013 Chevrolet Equinox Owner Manual In Brief .....1-1 Seats and Restraints ...3-1 Lighting ...2013 Chevrolet Equinox Owner Manual Driving and Operating ...9-1 Wheels and Tires ... 10-36 Customer Information ...13-1 Driving Information For vehicles first sold in Canada, to GM, the GM logo, CHEVROLET, substitute the name General Helm, Incorporated the CHEVROLET Emblem, and Motors of Canada Limited for... Introduction Danger, Warnings, and : This symbol is shown when you need to see a service manual Cautions for additional instructions or Warning messages found on vehicle information, labels and in this manual describe Vehicle Symbol Chart hazards and what to do to avoid or reduce them. Introduction : Engine Coolant Temperature : LATCH System Child : Safety Belt Reminders Restraints : Exterior Lamps : Steering Wheel Controls : Malfunction Indicator Lamp : Fog Lamps : Tire Pressure Monitor : Oil Pressure @ : Fuel Gauge : Traction Control/StabiliTrak @... Page 6 Introduction NOTES I n f o r m a t i o n P r o v i d e d b y :... In Brief In Brief Steering Wheel Lane Departure Adjustment ...1-11 Warning (LDW) ... 1-19 Interior Lighting Page 8 In Brief Instrument Panel I n f o r m a t i o n P r o v i d e d b y :... In Brief 1. Air Vents on page 8 6. 7. Touchscreen (If Equipped). 16. Steering Wheel Controls on page 5 2. 2. Turn and Lane-Change Lever. 8. Safety Locks on page 2 8. See Turn and Lane-Change 17. Ignition Positions on page 9. In Brief Initial Drive : For vehicles with the power liftgate, press and hold until the Information liftgate begins to move. This section provides a brief : Press and release to initiate overview about some of the vehicle locator. Press and hold for at important features that may or may last three seconds to sound the tone on your specific vehicle. Page 11 In Brief See Remote Vehicle Start on 2. Immediately press and hold page 2 4, for at least two seconds or until the signal lamps flash. Door Locks The parking lamps will turn on To lock or unlock the vehicle from and remain on as long as the engine is running. Page 12 In Brief Do not press the touch pad while See Liftgate on page 2 8, closing the liftgate. This may cause Windows the liftgate to be unlatched. Power Liftgate Operation Base Radio Shown, Uplevel Similar : Press for Safety Locks. See Safety Locks on page 2 8. Page 13 In Brief Raise or lower the entire seat by Seat Adjustment See Power Seat Adjustment on moving the entire control up page 3 4, or down. Four-Way Power Seat Eight-Way Power Seat See Power Seat Adjustment on page 3 4. Lumbar Adjustment 1. Page 14 In Brief See Lumbar Adjustment on 2. Move the seatback to the Power Reclining Seatbacks page 3 5, desired position, and then release the lever to lock the Reclining Seatbacks seatback in place. Manual Reclining Seatbacks 3. Push and pull on the seatback to make sure it is locked. In Brief Memory Features turned off. These automatically Press to heat the driver or stored positions are referred to as passenger seat cushion and RKE Memory positions. seatback. See Memory Seats on page 3 6 and Indicator Lights on the button show Vehicle Personalization on the temperature setting. 1-10 In Brief Safety Belts Passenger Sensing is started. See Passenger Sensing System on page 3 25 for more System information. Mirror Adjustment Exterior United States Refer to the following sections for important information on how to use safety belts properly: Canada Safety Belts on page 3 10. Page 17 In Brief 1-11 3. Return the selector switch to the Steering Wheel Interior Lighting middle position. Adjustment Reading Lamps See Power Mirrors on page 2 14. These lamps are located on the Interior overhead console. These lamps come on automatically when any Vehicles with an automatic dimming door is opened. Page 18 1-12 In Brief For more information on interior HI: Use for fast wiper. : Turns on the headlamps, lighting, See Instrument Panel together with the parking lamps. LO: Use for slow wiper. illumination Control on page 6 4. sidemarker lamps, taillamps, license INT: Move the lever up to INT for plate lamps, and instrument panel Exterior Lighting... Page 19 In Brief 1-13 Rear Window Wiper/Washer Climate Controls The rear wiper controls are on the Vehicle's heating, cooling, defrosting, and ventilation can be controlled end of the windshield wiper lever, with these systems. Climate Control System ON: Press the upper portion of the button for continuous rear window wiper. Page 20 1-14 In Brief Automatic Climate Control System Parking Brake To set the parking brake, hold the regular brake pedal down, then 1. Fan Control 8. Driver and Passenger Heated push the parking brake pedal down. Seats 2. AUTO (Automatic Operation) If the ignition is on, the brake 9. In Brief 1-15 Transmission Fuel Economy Mode Vehicle Features Vehicles with a 2.4L engine have an Electronic Range Select Radio(s) Fuel Economy Mode. When (ERS) Mode engaged, fuel economy mode can VOL/ : Press to turn the system ERS or manual mode allows for the improve the vehicle's fuel economy. 1-16 In Brief Storing a Favorite Station 12/24 HR Format: Press the 12 HR coast, and in digital-quality sound, screen button for standard time: A fee is required to receive the Stations from all bands can be press the 24 HR screen button for SiriusXM service. Page 23 In Brief 1-17 @ Bluetooth Steering Wheel Controls : Press to silence the vehicle speakers only. Press again The Bluetooth@ system allows to turn the sound on. For vehicles users with a Bluetooth-enabled with OnStar or Bluetooth systems, mobile phone to make and receive press to reject an incoming call, hands-free calls using the vehicle or end a current call. 1-18 In Brief Cruise Control SET/ : Move the thumbwheel down toward SET/ to set a speed and activate cruise control, or to make the vehicle decelerate. See Cruise Control on page 9 35. Infotainment System See the infotainment manual for information on the radio, audio players, phone, navigation system, and voice or speech recognition. Page 25 In Brief 1-19 For more information, see Driver Lane Departure Information Center (DIC) on Warning (LDW) page 5 22. For vehicles with LDW, it is intended Forward Collision Alert to help avoid unintentional lane departures. It may provide a (FCA) System warning if the vehicle is crossing a For vehicles with FCA, this system lane without using a turn signal. Page 26 1-20 In Brief Rear Vision Keep the sensors on the vehicle's Power Outlets rear bumper clean to ensure proper Camera (RVC) The accessory power outlets can be operation. used to connect electrical If available, the rear vision camera See Ultrasonic Parking Assist on equipment, such as a cell phone or displays a view of the area behind page 9 40. In Brief 1-21 @ Universal Remote System Performance and StabiliTrak System Maintenance The StabiliTrak system assists with directional control of the vehicle in difficult driving conditions. The Traction Control system is on when the vehicle is System (TCS) started. The traction control system limits To turn off both Traction Control wheel spin. Page 28 1-22 In Brief Tire Pressure Monitor tire pressures are getting low and 3. Press either the up or down the tires need to be inflated to the arrows to view REMAINING This vehicle may have a Tire proper pressure. OIL LIFE. Pressure Monitor System (TPMS). 1-888-889-2438 Always follow posted speed Canada: 1-800-268-6800 limits or drive more slowly when conditions require. As the owner of a new Chevrolet, you are automatically enrolled in the Roadside Assistance program. See Roadside Assistance Program on page 13 5. I n f o r m a t i o n P r o v i d e d b y :... Page 30 1-24 In Brief NOTES I n f o r m a t i o n P r o v i d e d b y :... Keys, Doors, and Windows Keys, Doors, and Vehicle Security Keys and Locks Vehicle Security ...2-12 Windows Vehicle Alarm System ...2-12 Keys Immobilizer . Page 32 Keys, Doors, and Windows With an active OnStar subscription, an OnStar Advisor may remotely unlock the vehicle. See OnStar Overview on page 14 1. Remote Keyless Entry (RKE) System See Radio Frequency Statement on page 13 15 for information regarding Part 15 of the Federal Communications Commission (FCC) rules and Industry Canada The key that is part of the Remote... Keys, Doors, and Windows If the transmitter is still not See Unlocked Door Anti Lock Out working correctly, see your under Vehicle Personalization on dealer or a qualified technician page 5 32, for service. Pressing may also arm the Remote Keyless Entry theft-deterrent system. Page 34 Keys, Doors, and Windows replacement can be purchased and 4. Insert the new battery, positive (Vehicle Locator)/Panic programmed through your dealer. side facing up. Push the battery Alarm: Press and release one When the replacement transmitter is down until it is held in place, time to initiate vehicle locator. Page 35 Keys, Doors, and Windows If the vehicle has heated seats, they For example, if the engine has been 2. Immediately press and hold may come on during a remote start, running for 5 minutes, and for at least two seconds or until See Heated Front Seats on 10 minutes are added, the engine the turn signal lamps flash. Page 36 Keys, Doors, and Windows Conditions in Which Remote Start Remotes Start Ready WARNING (CONTINUED) Will Not Work If the vehicle does not have the Remote vehicle start feature will remote operate if: have the remote start ready feature. Page 37 Keys, Doors, and Windows Power Door Locks Pressing the power lock switch twice or on the RKE transmitter twice will override the delayed locking feature and immediately lock all doors. This feature can be programmed. See Delayed Door Lock under Vehicle Personalization on page 5 32. Page 38 Keys, Doors, and Windows Safety Locks Doors Press to activate the safety locks. When activated, the indicator light in the switch changes to amber. Liftgate Press again to deactivate the WARNING safety locks. If a rear door handle is pulled when Exhaust gases can enter the the safety lock is deactivated, that vehicle if it is driven with the... Page 39 Keys, Doors, and Windows Manual Liftgate WARNING (CONTINUED) WARNING To unlock the liftgate, press the Adjust the climate control You or others could be injured if power door lock switch or press system to a setting that caught in the path of the power on the Remote Keyless Entry brings in only outside air and liftgate. 2-10 Keys, Doors, and Windows Choose the power liftgate mode by The liftgate can be opened manually turning the dial on the switch until by pressing the touch pad under or the indicator lines up with the liftgate handle, with the doors desired position. Page 41 Keys, Doors, and Windows 2-11 Do not force the liftgate open or Obstacle Detection Features Power Liftgate 3/4 Mode closed during a power cycle. If the liftgate encounters an obstacle To program the liftgate opening The power liftgate may be during a power open or close cycle, height: temporarily disabled under extreme... 2-12 Keys, Doors, and Windows If there is no audible and visual To open the liftgate, press the touch Vehicle Security feedback when setting the pad on the handle on the outside of This vehicle has theft-deterrent intermediate stop position, the liftgate, and lift the gate open. Keys, Doors, and Windows 2-13 Disarming the System If the alarm has been activated, the The system is automatically THEFT ATTEMPTED message will disarm when the vehicle is To disarm the system, do one of the appear on the DIC. See Key and Start with the correct key. 2-14 Keys, Doors, and Windows If the engine does not start and the Exterior Mirrors Power Mirrors security light stays on, there is a problem with the system. Turn the Convex Mirrors ignition off and try again. If the engine still does not start, and WARNING the key appears to be undamaged or the light continues to stay on, try... Keys, Doors, and Windows Power Door Locks Pressing the power lock switch twice or on the RKE transmitter twice will override the delayed locking feature For vehicles with heated mirrors: in the main mirror is small and near the inboard edge of the The heated outside rearview mirrors mirror. 2-16 Keys, Doors, and Windows vehicle. Check the blind spot Interior Mirrors feature comes on and the indicator mirror for a vehicle in the blind light comes on each time the vehicle zone. Then, glance over your is started. Manual Rearview Mirror shoulder to double check before : Press to turn automatic moving slowly into the... Keys, Doors, and Windows 2-17 Windows The vehicle aerodynamics are designed to improve fuel economy performance. This may result in a WARNING pulsing sound when either rear window is down and the front never leave a child, a helpless windows are on. To reduce the adult, or a pet alone in a vehicle, sound, open either a front window especially with the windows... 2-18 Keys, Doors, and Windows window window switch fully and release it to Roo Press to activate the rear activate the express-down feature. window lockout switch. The The express mode can be canceled indicator light comes on when Sunroof at any time by briefly pressing, activated. Page 49 Keys, Doors, and Windows 2-19 Press and hold the front or rear of the driver side switch to open or close the sunroof. The sunshade automatically opens with the sunroof, but must be closed manually. Press and hold the rear of the passenger side switch to vent the sunroof. Page 50 2-20 Keys, Doors, and Windows NOTES I n f o r m a t i o n P r o v i d e d b y :... Page 51 Seats and Restraints Seats and Safety Belt Use During Adding Equipment to the Pregnancy ....3-16 Airbag-Equipped Vehicle . . . 3-30 Restraints Safety Belt Extender . Seats and Restraints Heated Restraints Front Seats The vehicle's front seats are heated rear seatback can be folded down sure that the safety belts are... 3-18 Seats and Restraints Reclining Seatback: Safety Belts 1. Lift and hold the lever on top of This section of the manual the seatback, describes how to use safety belts 2. Tilt the seatback rearward, then properly. It also describes some release the lever when the things are stressed or damaged. Page 69 Seats and Restraints 3-19 For frontal airbags, the word Here are the most important things WARNING AIRBAG will appear on the middle to know about the airbag system: part of the steering wheel for the Because airbags inflate with great driver and on the instrument panel WARNING force and faster than the blink of... 3-20 Seats and Restraints Where Are the Airbags? WARNING Children who are up against, or very close to, any airbag when it inflates can be seriously injured or killed. Airbags plus There is an airbag readiness light lap-shoulder belts offer protection on the instrument panel cluster, for adults and older children, but which shows the airbag symbol. Page 71 Seats and Restraints 3-21 Driver Side Shown, Passenger Driver Side Shown, Passenger The right front passenger frontal Side Similar Side Similar airbag is in the instrument panel on the passenger side. The seat-mounted side impact The roof-rail airbags for the driver, airbags for the driver and right front right front passenger, and second passenger are in the side of the... 3-22 Seats and Restraints When Should an Airbag Frontal airbags may inflate at WARNING different crash speeds. For Inflate? example: If something is between an Frontal airbags are designed to If the vehicle hits a stationary occupant and an airbag, the inflate in moderate to severe frontal object, the airbags could inflate airbag might not inflate properly... Seats and Restraints 3-23 Frontal airbags are not intended to the system's designed threshold determined by the location and inflate during vehicle rollovers, rear level. The threshold level can vary severity of the side impact. In a impacts, or in many side impacts, with specific vehicle design. 3-24 Seats and Restraints moderate to severe side collisions, not toward those airbags. See When prevent the driver from seeing out of even belted occupants can contact Should an Airbag Inflate? on the windshield or being able to steer the inside of the vehicle. page 3 22 for more information. Seats and Restraints 3-25 Let only qualified technicians hazard warning flashers on, and In many crashes severe enough to work on the airbag system, shut off the fuel system after the inflate the airbag, windshields are improper service can mean that airbags inflate. Page 76 3-26 Seats and Restraints The passenger sensing system an older child riding in a booster turns off the right front passenger seat, and children, who are large frontal airbag under certain enough, using safety belts, conditions. The driver airbag, A label on the sun visor says, seat-mounted side impact airbags Never put a rear-facing child seat in and the roof-rail airbags are not... Page 77 Seats and Restraints 3-27 The passenger sensing system is the passenger sensing system is WARNING (CONTINUED) designed to turn off the right front designed to turn on (may inflate) the passenger frontal airbag if: right front passenger frontal airbag Even if the passenger sensing anytime the system senses that a The right front passenger seat is system has turned off the right... Page 78 3-28 Seats and Restraints 4. Reinstall the child restraint 6. Restart the vehicle. WARNING following the directions provided The passenger sensing system by the child restraint may or may not turn off If the airbag readiness light ever manufacture and refer to airbag for a child in a child comes on and stays on, it means Securing Child Restraints (Front... Page 79 Seats and Restraints 3-29 If a person of adult-size is sitting in Additional Factors Affecting A wet seat can affect the right front passenger seat, but performance of the passenger System Operation the off indicator is lit, it could be sensing system. 3-30 Seats and Restraints The on indicator may be lit if a purchase a service manual, see Adding Equipment to the object, such as a briefcase, service Publications Ordering Airbag-Equipped Vehicle handbag, grocery bag, laptop or information on page 13 11, other electronic device, is put on a Q: Is there anything I might add unoccupied seat. Seats and Restraints 3-31 that are part of the passenger Satisfaction Procedure in this In addition, your dealer and the seat. The passenger sensing manual. See Customer service manual have information system may not operate properly Satisfaction Procedure on about the location of the airbag if the original seat trim is page 13 1. 3-32 Seats and Restraints Replacing Airbag System If an airbag inflates, you will need to Child Restraints replace airbag system parts. See Parts



